

# Silicon mat



The silicon mat is mainly used in the central sterilization department and is placed between the packaged instrument basket and the wire tray or wire basket.

Due to its excellent non-slip properties, the packaged instrument basket remains in place and does not move.

In combination with the Sterisystem<sup>®</sup> Perfo-Safe<sup>®</sup> wire shelves and baskets, the silicon mats are an indispensable part of sterile storage and transport.

The material of which the silicon mat is made is resistant to wear and to chemicals and bacteria, which makes it perfectly suitable for repeated use within the central sterilisation department.




#### Anti-slip function

Since the packaged instrument basket does not move during transportation, any damage or perforation that could occur to the packaging material is avoided, guaranteeing sterility requirements within central sterilization department.



#### Silicon

The material which the silicone mat is made from complies with requirements of the European Directive 2002/72/EC relating to plastic materials and articles intended to come into contact with foodstuffs, and is temperature resistant from -40 °C to 200 °C. This material is resistant to wear and to chemicals and bacteria, and corresponds to the highest degree of fire safety. Therefore, it is perfectly suitable for repeated use within the central sterilization department.




### Specific design

Its specific design ensures uniform heat distribution and perfect permeability of the steam within the autoclave. The standard colour is white. The thin version is appropriate for internal transportation, whereas the "heavy duty" 6 mm thick version is suitable for external transportation.

Images for illustrative purposes only, not binding. Specifications are subject to change without notice.

## Silicon mat



Silicon mat for Sterisystem <sup>®</sup> Perfo-Safe <sup>®</sup> wire baskets and wire shelves				
Article Number	Description	Thickness	GTIN	Ext. Dimensions
30010 00004	Standard	3 mm	05404019100952	540 x 280 mm
30010 00006	Heavy duty	6 mm	05404019100969	600 x 324 mm

Images for illustrative purposes only, not binding. Specifications are subject to change without notice.