

Shutty Waste Collectors and Coupled Shutty



The Shutty is suitable for the airtight collection of waste. The waste collector opens and closes thanks to the pedal control, partially covered with plastic.

When opening the Shutty, the car locks automatically and can no longer roll away.

The airtight sealing ring has a clamp for waste bags of 575×1000 mm (measured flat) with a capacity of 70 litres.

The coupled combination collectors are designed for collecting dirty linen and waste. They combine the collector and the Shutty.

The simple and sturdy mechanism of the waste collector ensures that the waste bag always remains airtight closed.



Airtight sealing ring

The rubber sealing ring ensures that the waste bag always remains airtight. Thanks to the pedal mechanism, the ring can be opened easily and hygienically.



)) Extra clamp

The Shutty is equipped with an extra plastic clamp, so that waste bags are kept in place during transfers.



Stainless steel design

The frame is made of stainless steel so that the Shutty can be completely cleaned.

Shutty waste collectors



)) Shutty waste collector		
Article Number	Content	External dimensions
20004 00012	701	500 x 600 x 990 mm
20004 00011	40	500 x 600 x 830 mm



)) Shutty for wall mounting		
Article Number	Content	External dimensions
20004 00005	701	390 x 600 x 790 mm



)) Stationary Shutty			
Article Number	Content	External dimensions	
20004 00015	70	470 x 600 x 990 mm	
20004 00016	40	470 x 600 x 830 mm	

>>> Connected Shutty waste collectors



)) Combination collector with 1 ring and Shutty		
Article Number	Description	
20003 00005	1 ring without accessories	
20004 00012	Shutty waste collector	
20004 00009	Coupling system	



)) Combination collector with 2 rings and Shutty		
Article Number	Description	
20003 00006	2 rings without accessories	
20004 00012	Shutty waste collector	
20004 00009	Coupling system	



Combination collector with 3 rings and Shutty		
	Article Number	Description
	20003 00007	3 rings without accessories
	20004 00012	Shutty waste collector
	20004 00009	Coupling system
	20004 00009	Coupling system

4.9